

測点	1						2						2-a						2-b						3					
緯度	34-41.2N						34-39.2N						34-39.9N						34-40.7N						34-37.9N					
経度	135-17.8E						135-19.5E						135-21.9E						135-24.1E						135-20.6E					
観測日	2006/4/27						2006/4/27						2006/4/27						2006/4/27						2006/4/27					
時分	9:33						10:00						10:26						10:50						11:38					
透明度(m)	1.5						1.5						2.0						2.0						2.5					
水温(℃)	13.2						13.2						13.3						13.5						13.2					
気温(℃)	13.0						15.0						17.0						17.0						20.0					
湿度(%)	66						68						61						63						60					
気圧(hPa)	1011.0						1011.0						1011.0						1011.0						1011.0					
視程	6						6						6						6						6					
風	ne			4			ne			2			e			3			e			1			e			0		
雲	ns			10			st			10			st			10			st			9			st			8		
深度(m)	水温(℃)	塩分(psu)	クロロフィル(μg/L)	濁度(FTU)	pH	溶存酸素(mg/l)	水温(℃)	塩分(psu)	クロロフィル(μg/L)	濁度(FTU)	pH	溶存酸素(mg/l)	水温(℃)	塩分(psu)	クロロフィル(μg/L)	濁度(FTU)	pH	溶存酸素(mg/l)	水温(℃)	塩分(psu)	クロロフィル(μg/L)	濁度(FTU)	pH	溶存酸素(mg/l)	水温(℃)	塩分(psu)	クロロフィル(μg/L)	濁度(FTU)	pH	溶存酸素(mg/l)
0.5	12.94	23.22	21.02	1.76			13.02	24.94	13.32	1.50			13.20	18.72	11.23	2.01			13.38	6.49	2.31	2.77			12.74	28.68	5.07	0.94		
1	12.85	23.55	20.22	1.81			13.03	25.89	16.33	1.52			13.20	23.01	13.16	2.00			13.30	19.17	7.45	2.99			12.64	29.19	6.67	1.00		
2	12.69	29.25	10.56	1.46	8.32	8.24	13.00	26.52	17.33	1.49	8.59	12.30	12.87	28.63	12.59	1.02	8.48	11.18							12.47	29.90	6.61	0.93	8.36	9.70
3	12.49	29.47	12.49	1.46			12.52	30.04	6.72	0.49			12.56	29.85	6.84	0.62									12.25	30.75	6.37	0.68		
4	12.26	30.13	9.53	1.13			12.34	30.43	5.75	0.55			12.34	30.75	3.66	0.30									12.22	30.95	6.41	0.70		
5	11.94	30.92	5.70	0.76			12.18	30.83	5.30	0.51			12.25	30.95	2.92	0.28									12.07	31.18	5.56	0.83		
6	11.89	31.20	4.07	0.75			11.98	31.19	4.02	0.51			12.12	31.18	3.32	0.41									11.91	31.45	3.93	0.74		
7	11.79	31.40	4.45	1.16			11.79	31.71	3.39	0.80			11.75	31.57	4.14	0.48									11.93	31.60	3.42	0.59		
8	11.72	31.56	4.00	0.79			11.76	31.84	2.96	0.59			11.55	31.85	4.57	0.70	8.05	5.64							11.88	31.74	3.11	0.68		
9	11.64	31.73	3.78	0.76			11.75	31.94	2.21	0.42															11.74	32.04	3.40	1.21		
10	11.58	31.85	3.45	0.58			11.80	32.10	1.51	0.32															11.72	32.12	2.65	0.74		
11	11.57	31.87	2.91	0.45	8.12	6.50	11.76	32.18	1.19	0.33															11.70	32.14	2.57	0.90		
12							11.75	32.21	1.25	0.40															11.68	32.15	3.94	1.66		
13							11.71	32.24	2.66	1.64	8.13	6.69													11.67	32.16	6.72	2.50	8.03	5.44
14																														
15																														
16																														
17																														
18																														
19																														
20																														

測点	4						4-a						4-b						5						6					
緯度	34-36.5N						34-36.5N						34-36.5N						34-33.7N						34-40.8N					
経度	135-21.7E						135-23.2E						135-25.2E						135-23.8E						135-14.4E					
観測日	2006/4/27						2006/4/27						2006/4/27						2006/4/27						2006/4/26					
時分	12:02						12:18						12:38						13:35						14:05					
透明度(m)	3.0						2.5						2.5						3.5						1.5					
水温(℃)	13.5						13.4						14.0						13.7						13.7					
気温(℃)	20.5						20.0						21.0						20.0						18.0					
湿度(%)	60						64						57						61						49					
気圧(hPa)	1010.5						1010.0						1010.0						1009.5						1015.0					
視程	6						6						6						6						6					
風	sse			1			sw			1			sw			4			sw			4			nw			1		
雲	st,cc			6			st,cc			6			st			6			st			5			cb			10		
深度(m)	水温(℃)	塩分(psu)	クロフィル(μg/L)	濁度(FTU)	pH	溶存酸素(mg/l)	水温(℃)	塩分(psu)	クロフィル(μg/L)	濁度(FTU)	pH	溶存酸素(mg/l)	水温(℃)	塩分(psu)	クロフィル(μg/L)	濁度(FTU)	pH	溶存酸素(mg/l)	水温(℃)	塩分(psu)	クロフィル(μg/L)	濁度(FTU)	pH	溶存酸素(mg/l)	水温(℃)	塩分(psu)	クロフィル(μg/L)	濁度(FTU)	pH	溶存酸素(mg/l)
0.5	13.22	27.99	4.26	1.00			12.86	28.99	5.08	1.19			12.83	28.88	5.00	1.07			14.38	29.92	3.34	1.00			13.35	24.85	18.01	1.58		
1	13.07	29.30	4.17	0.92			12.77	29.55	4.65	1.01			12.87	29.38	6.48	1.15			14.34	29.91	3.44	0.94			13.29	25.16	18.09	1.60		
2	13.03	30.12	3.58	0.56	8.40	9.68	12.71	30.16	4.73	0.80	8.34	7.69	12.64	29.88	5.65	1.05	8.30	7.77	14.32	29.87	3.31	0.80	8.39	10.25	13.23	26.59	22.46	1.45	8.57	11.52
3	12.70	30.68	2.69	0.36			12.46	30.62	4.21	0.68			12.50	30.33	5.25	1.03			12.77	30.92	3.00	0.57			13.07	28.13	14.85	1.21		
4	12.30	31.07	0.94	0.14			12.27	30.99	3.68	0.65			12.25	30.63	4.73	0.74			12.67	31.14	1.72	0.33			12.94	29.28	13.78	1.13		
5	12.20	31.36	1.62	0.41			12.12	31.45	3.32	0.72			11.90	31.28	3.75	1.12			12.52	31.32	1.49	0.53			12.87	30.14	10.93	1.29		
6	12.04	31.56	2.98	0.82			12.03	31.56	3.79	0.87			11.72	31.53	2.59	1.52			12.42	31.43	1.52	0.41			12.40	30.49	9.56	1.21		
7	11.86	31.89	2.93	0.98			11.94	31.71	4.32	0.74			11.53	31.59	2.21	1.88			12.33	31.55	0.92	0.17			11.90	31.31	5.42	1.09		
8	11.82	32.05	2.31	1.26			11.87	31.80	5.28	1.07			11.49	31.74	2.90	2.61			12.11	31.80	0.86	0.22			11.69	31.58	4.31	1.00		
9	11.81	32.14	2.27	1.01			11.84	31.86	3.40	0.78			11.59	31.87	3.99	2.38			12.07	31.86	0.90	0.12			11.58	31.72	3.64	1.07		
10	11.78	32.21	2.24	1.09			11.84	31.89	3.91	0.76			11.62	31.89	5.00	2.65			12.04	31.91	0.58	0.02			11.53	31.84	3.10	0.98	8.04	5.65
11	11.79	32.22	4.13	1.93			11.80	32.05	4.41	1.29			11.65	31.95	5.43	3.06	7.90	3.36	11.86	31.96	2.67	0.56								
12	11.78	32.23	4.21	2.28	8.13	6.88	11.80	32.07	3.65	0.96	8.12	6.64							11.74	32.02	4.19	1.05								
13																			11.67	32.02	5.63	1.76	8.03	5.14						
14																														
15																														
16																														
17																														
18																														
19																														
20																														

測点	7						8						9						10						11																							
緯度	34-38.6N						34-36.0N						34-33.9N						34-31.5N						34-38.8N																							
経度	135-16.1E						135-18.0E						135-19.7E						135-21.7E						135-11.8E																							
観測日	2006/4/26						2006/4/26						2006/4/26						2006/4/26						2006/4/26																							
時分	13:37						13:05						12:40						12:10						9:34																							
透明度(m)	2.0						2.5						3.5						3.5						2.0																							
水温(℃)	13.5						13.6						13.7						13.5						13																							
気温(℃)	17.0						18.5						18.0						20						14																							
湿度(%)	51						53						53						56						62																							
気圧(hPa)	1014.5						1015.0						1015.5						1016.0						1017.5																							
視程	6						6						6						6						6																							
風	n						3						nw						3						w						3						e						3					
雲	cb						10						10						10						10						10						10						10					
深度(m)	水温 (℃)	塩分 (psu)	クロロフィル (μg/L)	濁度 (FTU)	pH	溶存酸素 (mg/l)	水温 (℃)	塩分 (psu)	クロロフィル (μg/L)	濁度 (FTU)	pH	溶存酸素 (mg/l)	水温 (℃)	塩分 (psu)	クロロフィル (μg/L)	濁度 (FTU)	pH	溶存酸素 (mg/l)	水温 (℃)	塩分 (psu)	クロロフィル (μg/L)	濁度 (FTU)	pH	溶存酸素 (mg/l)	水温 (℃)	塩分 (psu)	クロロフィル (μg/L)	濁度 (FTU)	pH	溶存酸素 (mg/l)																		
0.5	13.18	26.17	14.90	1.27			12.98	28.84	8.84	0.84			13.14	30.32	3.62	0.55			13.05	30.65	1.50	0.57			13.06	27.92	11.56	1.15																				
1	13.10	27.08	14.37	1.39			12.94	29.65	8.39	0.66			13.27	30.20	3.43	0.49			13.04	30.65	1.59	0.59			13.04	28.12	12.32	1.18																				
2	13.08	27.99	13.86	1.17	8.57	11.83	12.97	29.37	8.38	0.72	8.53	10.31	13.09	30.33	3.82	0.57	8.49	9.78	12.96	30.67	2.20	0.51	8.44	9.68	12.90	28.70	11.77	1.04	8.48	10.78																		
3	12.78	29.55	9.61	0.82			12.93	29.71	8.58	0.68			13.02	30.39	4.14	0.55			12.89	30.71	3.01	0.49			12.73	29.35	9.68	0.88																				
4	12.71	29.73	10.39	0.86			12.81	30.01	7.51	0.72			12.86	30.50	4.49	0.74			12.84	30.75	3.28	0.64			12.82	29.70	8.45	0.76																				
5	12.53	30.04	10.48	0.96			12.68	30.17	7.20	0.72			12.71	30.66	4.96	0.53			12.81	30.83	3.25	0.40			12.80	29.77	9.01	0.70																				
6	11.79	31.49	4.47	1.19			12.40	30.48	8.24	0.76			12.37	30.96	4.46	0.49			12.73	31.08	2.56	0.31			12.78	29.89	9.06	0.79																				
7	11.69	31.78	3.82	1.19			12.20	30.95	6.77	0.58			12.23	31.33	2.59	0.39			12.24	31.59	1.54	0.39			12.64	30.32	9.24	0.89																				
8	11.67	31.86	3.88	1.55			12.01	31.41	3.99	0.35			12.15	31.61	1.19	0.22			12.00	31.86	2.74	0.49			12.56	30.54	9.84	1.13																				
9	11.65	32.03	2.56	1.27			11.84	31.74	3.49	0.72			11.85	32.20	1.43	0.37			11.93	31.93	2.03	0.29			11.83	31.73	3.92	1.27																				
10	11.64	32.08	2.82	1.64			11.66	32.09	2.14	0.84			11.82	32.23	3.26	0.64			11.90	31.99	3.14	0.49	8.19	7.46	11.67	32.00	3.26	2.89																				
11	11.64	32.09	2.76	1.81			11.55	32.20	2.37	1.42			11.81	32.24	2.80	0.74									11.64	32.06	2.87	4.41	8.15	7.70																		
12	11.63	32.13	2.70	2.65			11.52	32.24	1.99	1.40			11.80	32.25	2.46	1.00																																
13	11.62	32.15	2.91	3.79			11.51	32.24	2.19	1.91			11.76	32.27	3.04	1.11																																
14	11.62	32.15	3.10	4.04	8.14	7.27	11.52	32.24	2.66	2.15			11.73	32.27	3.53	1.37																																
15							11.52	32.24	2.68	2.53	8.16	7.77	11.73	32.28	5.17	1.88	8.15	7.52																														
16																																																
17																																																
18																																																
19																																																
20																																																

測点	12						13						14						15					
緯度	34-36.7N						34-34.5N						34-32.1N						34-28.8N					
経度	135-13.6E						135-15.2E						135-17.1E						135-19.8E					
観測日	2006/4/26						2006/4/26						2006/4/26						2006/4/26					
時分	10:05						10:33						11:02						11:40					
透明度(m)	3.0						3.5						4.0						4.5					
水温(℃)	13.2						13.0						13.2						13.7					
気温(℃)	16.0						17.0						17.0						19.0					
湿度(%)	59						56						51						54					
気圧(hPa)	1017.5						1016.5						1016.0						1016.0					
視程	6						6						6						6					
風	ne						ne						ne						se					
雲	cb						cb						cb						cb					
深度(m)	水温(℃)	塩分(psu)	クロロフィル(μg/L)	濁度(FTU)	pH	溶存酸素(mg/l)	水温(℃)	塩分(psu)	クロロフィル(μg/L)	濁度(FTU)	pH	溶存酸素(mg/l)	水温(℃)	塩分(psu)	クロロフィル(μg/L)	濁度(FTU)	pH	溶存酸素(mg/l)	水温(℃)	塩分(psu)	クロロフィル(μg/L)	濁度(FTU)	pH	溶存酸素(mg/l)
0.5	12.85	27.30	10.40	1.07			12.74	30.71	1.44	0.51			12.84	30.89	1.39	0.45			13.31	30.75	1.56	0.49		
1	12.82	28.20	9.67	1.07			12.71	30.73	1.61	0.41			12.83	30.90	1.52	0.41			13.29	30.75	1.56	0.41		
2	12.74	29.25	7.13	0.77	8.56	11.02	12.69	30.74	1.90	0.52	8.45	10.06	12.82	30.90	1.78	0.44	8.44	10.03	13.03	31.00	1.80	0.40	8.40	9.54
3	12.48	30.03	5.65	0.62			12.54	30.88	3.08	0.49			12.69	31.03	2.70	0.41			12.73	31.31	1.93	0.27		
4	12.39	30.34	5.77	0.55			12.33	31.11	4.35	0.55			12.49	31.13	3.62	0.53			12.54	31.49	2.20	0.33		
5	12.34	30.48	6.21	0.55			12.20	31.27	4.84	0.53			12.12	31.43	3.82	0.49			12.42	31.56	2.20	0.33		
6	12.32	30.56	6.07	0.57			12.13	31.37	4.87	0.55			11.98	31.53	3.96	0.53			12.33	31.64	3.33	0.80		
7	12.37	30.61	6.11	0.53			12.06	31.45	4.78	0.53			11.86	31.72	3.48	0.72			12.24	31.67	2.21	0.33		
8	12.37	30.84	6.75	0.64			11.97	31.59	4.97	0.55			11.86	31.75	3.76	0.76			11.93	31.90	4.99	0.80		
9	12.23	31.09	6.63	0.68			11.94	31.62	4.73	0.64			11.86	31.92	2.08	0.86			11.90	31.93	5.27	0.92		
10	11.72	31.91	3.76	0.76			11.87	31.72	4.63	0.74			11.64	32.24	1.36	0.98			11.90	31.93	5.69	0.94		
11	11.58	32.19	1.44	0.98			11.80	31.85	3.85	0.55			11.59	32.27	1.58	1.05			11.90	31.94	5.18	0.90	8.16	7.08
12	11.57	32.20	1.41	1.27			11.68	32.05	3.53	0.74			11.58	32.26	1.93	1.15								
13	11.57	32.21	1.44	1.27			11.60	32.18	2.15	0.76			11.58	32.27	2.17	1.19								
14	11.57	32.21	1.48	1.60			11.57	32.21	2.04	0.84			11.58	32.27	1.99	1.27								
15	11.58	32.21	1.55	1.91			11.57	32.21	1.80	0.84			11.58	32.27	2.38	1.39								
16	11.58	32.21	1.62	2.09	8.20	8.45	11.57	32.22	1.72	0.81	8.20	8.34	11.58	32.27	3.58	2.25	8.18	7.94						
17																								
18																								
19																								
20																								